

Edwin Stanton Wall
Attorney at Law
Utah, Colorado & Wyoming
Registered Patent Attorney



500 Judge Building
East Broadway
Salt Lake City, Utah
84111

Wall Law Offices

Ph: (801) 523-3445
Fx: (801) 746-0900
wallaw@xmission.com

June 27, 2006

Mail Stop Amendment
Commissioner of Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Regarding - *Multi-Step Locking Eye Cup Twist Up Device*
Application No. 10/629,241
Applicants: John Smithbaker et al.
Examiner: Ben Loha
Art Unit No.: 2873

Dear Sirs:

Enclosed please find the original Response to Office Action for which an unsigned copy was inadvertently sent to the Patent and Trademark Office on June 14, 2006, and received on June 16, 2006.

Sincerely,

Edwin S. Wall
Attorney at Law

ESW/dk

Enclosures: *Original Office Action Response*
Copy of Petition for Extension of Time
Copy of Check No. 3032 signed June 14, 2006
Copy of Notice of Non-Compliant Amendment (37 CFR 1.121) mailed June 23, 2006.



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/629,241	07/29/2003	John Smithbaker	00PT01-20	6602

42825 7590 06/23/2006

EDWIN S. WALL
8 EAST BROADWAY, SUITE 500
SALT LAKE CITY, UT 84111



EXAMINER

BEN, LOHA

ART UNIT PAPER NUMBER

2873

DATE MAILED: 06/23/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

**Notice of Non-Compliant
Amendment (37 CFR 1.121)**

Application No.

10/629 241

Applicant(s)

Examiner

BEN, L.

Art Unit

2873

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

The amendment document filed on 6/16/06 is considered non-compliant because it has failed to meet the requirements of 37 CFR 1.121 or 1.4. In order for the amendment document to be compliant, correction of the following item(s) is required.

THE FOLLOWING MARKED (X) ITEM(S) CAUSE THE AMENDMENT DOCUMENT TO BE NON-COMPLIANT:

- ☐ 1. Amendments to the specification:
- ☐ A. Amended paragraph(s) do not include markings.
 - ☐ B. New paragraph(s) should not be underlined.
 - ☐ C. Other _____.
- ☐ 2. Abstract:
- ☐ A. Not presented on a separate sheet. 37 CFR 1.72.
 - ☐ B. Other _____.
- ☐ 3. Amendments to the drawings:
- ☐ A. The drawings are not properly identified in the top margin as "Replacement Sheet," "New Sheet," or "Annotated Sheet" as required by 37 CFR 1.121(d).
 - ☐ B. The practice of submitting proposed drawing correction has been eliminated. Replacement drawings showing amended figures, without markings, in compliance with 37 CFR 1.84 are required.
 - ☐ C. Other _____.
- ☐ 4. Amendments to the claims:
- ☐ A. A complete listing of all of the claims is not present.
 - ☐ B. The listing of claims does not include the text of all pending claims (including withdrawn claims)
 - ☐ C. Each claim has not been provided with the proper status identifier, and as such, the individual status of each claim cannot be identified. Note: the status of every claim must be indicated after its claim number by using one of the following status identifiers: (Original), (Currently amended), (Canceled), (Previously presented), (New), (Not entered), (Withdrawn) and (Withdrawn-currently amended).
 - ☐ D. The claims of this amendment paper have not been presented in ascending numerical order.
 - ☐ E. Other: _____.
- ☒ 5. Other (e.g., the amendment is unsigned or not signed in accordance with 37 CFR 1.4):



For further explanation of the amendment format required by 37 CFR 1.121, see MPEP § 714.

TIME PERIODS FOR FILING A REPLY TO THIS NOTICE:

1. Applicant is given **no new time period** if the non-compliant amendment is an after-final amendment, an amendment filed after allowance, or a drawing submission (only). If applicant wishes to resubmit the non-compliant after-final amendment with corrections, the **entire corrected amendment** must be resubmitted.
2. Applicant is given **one month**, or thirty (30) days, whichever is longer, from the mail date of this notice to supply the correction, if the non-compliant amendment is one of the following: a preliminary amendment, a non-final amendment (including a submission for a request for continued examination (RCE) under 37 CFR 1.114), a supplemental amendment filed within a suspension period under 37 CFR 1.103(a) or (c), and an amendment filed in response to a Quayle action. If any of above boxes 1. to 4. are checked, the correction required is only the **corrected section** of the non-compliant amendment in compliance with 37 CFR 1.121.

Extensions of time are available under 37 CFR 1.136(a) only if the non-compliant amendment is a non-final amendment or an amendment filed in response to a Quayle action.

Failure to timely respond to this notice will result in:

Abandonment of the application if the non-compliant amendment is a non-final amendment or an amendment filed in response to a Quayle action; or

Non-entry of the amendment if the non-compliant amendment is a preliminary amendment or supplemental amendment.

Legal Instruments Examiner (LIE), if applicable

C. Muller

Telephone No.

571 272-1599